

Procarbazine 50mg Capsule

Product Information :

Pharmaceutical form : Capsule

Category : Anti Cancer

Pack : 50 Capsules

Brand name : Procarbazine 50mg Capsule

Content : Procarbazine 50 mg

Therapeutic Use : It is used for the treatment of cancers such as Hodgkin's disease (a cancer of the lymph glands).



Product Description :

What is Procarbazine 50mg Capsule?

Procarbazine 50mg Capsule is used in the treatment of Hodgkin's disease, commonly known as Hodgkin's lymphoma. Alkylating agents, which include procarbazine, are a subclass of medications. It blocks or prevents the development of cancer cells.

How does Procarbazine Capsule work?

Procarbazine is a member of the class of drugs known as antineoplastic alkylating agents. It functions by preventing the creation of proteins, RNA, and DNA, which is helpful in halting the expansion of cancer cells within the body.

How to Use - Procarbazine

- Take Procarbazine 50mg Capsule, typically once or twice daily, as prescribed by your doctor. It is often taken for two weeks, then discontinued for a while, and then repeated. It's known as a therapy cycle.
- Prior to consuming, avoid chewing or crushing the capsules.
- Your doctor might advise you to start taking this medicine at low dosage levels and gradually raise it in order to lower your risk of experiencing side effects. Carefully adhere to your doctor's directions.

- The dosage is determined by your age, body size, medical condition, reaction to treatment, and any additional medications you might be taking.
- Tell your doctor and chemist about every product you use, including prescription, over-the-counter, and herbal products.
- For maximum benefit, use this drug on a regular basis. Take it every day at the exact same time(s) to help you remember.
- You must strictly adhere to the specific diet suggested by your doctor or dietician to avoid tyramine while taking this medication in order to avoid a potentially fatal high blood pressure reaction.
- Even if you feel nauseous, keep taking this medication. Get advice from your doctor straight away if you vomit quickly after taking a dose.

Precautions for Procarbazine 50mg Capsule

- If you have any allergies before using procarbazine, make sure to let your doctor know. Inactive chemicals in this product have the potential to trigger an allergic reaction or other issues.
- Before using this drug, let your doctor know if you have ever had bleeding or blood issues, an infection that is currently active or has just returned, kidney or liver illness, or radiation therapy.
- You may experience drowsiness or light-headedness after using this medication. Before you are capable of it safely, avoid operating machinery, driving, or doing anything else that requires alertness.
- While taking this medication, refrain from consuming alcohol and tobacco because using this medication while smoking raises the risk of lung cancer.
- If you have a pregnancy or want to become pregnant, let your doctor know. Pregnancy should not occur when taking procarbazine. Procarbazine may be harmful to an unborn child.

Procarbazine Capsule - Side Effects

- You can experience muscle/joint discomfort, nausea, vomiting, lack of appetite, constipation, thirst, trouble swallowing, sleepiness, dizziness, headache, or darkening of the skin. Severe nausea and vomiting are possible.
- Your doctor may occasionally recommend medicine to treat or prevent nausea and vomiting. It may be possible to reduce some of these effects by eating frequent short meals, skipping meals before treatment, or reducing exercise. Inform your doctor right away if either of these side effects persists or worsens.
- Hair loss may be temporary. After the treatment is over, normal hair growth may resume.
- Serious side effects are possible for those taking this medicine. However, your doctor has recommended this medication to you because they believe that it will benefit you more than it will harm you.
- Your risk may be reduced with careful monitoring from your doctor.
- Rarely will this medication cause a very severe allergic reaction. However, if you experience any major adverse reaction symptoms, such as a rash, itching, or swelling (particularly of the face, tongue, or throat), severe dizziness, or difficulty breathing, seek medical attention right away.
- The list of potential negative effects is not complete. Contact your doctor if you experience any other effects not covered above.

Procarbazine 50mg Capsule Supplier

Healthiza is one of the leading Procarbazine 50mg Capsule supplier, manufacturer and exporter in India, offering the best quality medicine globally through a validated cold chain secure shipment process. We use this process to manufacture, store and deliver medicines



GET IN TOUCH HEALTHIZA LIFESCIENCE PVT LTD

EMAIL : info@healthizalife.com | sales@healthizalife.com

PHONE : +91- 93289 40307

ADDRESS : A-907, Signature II, Sarkhej 382210 Ahmedabad, India.

WEBSITE : www.healthizalife.com