

Entecavir Tablet 1 mg

Product Information :

Pharmaceutical form : Tablet

Category : Prescription Medicine

Pack : 1x30/Tabs

Brand name : Entecavir

Content : Entecavir (1mg)

Therapeutic Use : Chronic hepatitis B virus (HBV) infection



Product Description :

What is Entecavir Tablet 1 mg?

Entecavir Tablet 1 mg is used in the treatment of severe (long-term) hepatitis B infection in adults and children aged 2 and above who have liver damage. Entecavir belongs to a class of drugs known as nucleoside analogues. It works by lowering the body's hepatitis B virus (HBV) levels.

How to Use Entecavir

- Entecavir is available as a tablet and a solution (liquid) for oral administration. It's normally taken on an empty stomach once a day, at least 2 hours after eating and 2 hours before the next meal.
- Every day, around the same time, take the entecavir tablet. Follow the advice on your medicine label properly, and if there is anything you don't understand, speak to your doctor to explain it to you.
- Use entecavir exactly as prescribed by your doctor. Do not consume less or more of it, or utilize it more frequently than your doctor has suggested.

Precaution - Entecavir Tablet 1 mg

- If you have any type of allergy to entecavir, any other drugs, or any of the substances in entecavir tablets or oral solution, notify your doctor.
- Tell your doctor about any additional drugs, vitamins, nutraceuticals, or herbal products you're taking or planning to use. Make a point of mentioning the meds listed below: Aminoglycoside antibiotics such as amikacin, gentamicin, streptomycin, and tobramycin; or anti-rejection drugs like cyclosporine and tacrolimus.
- Whether you have or have ever had a Kidney illness, inform your doctor if you have had a transplantation of the liver (operation to replace a defective liver).
- If you have a pregnancy, planning to become pregnant, or breastfeeding, notify your doctor. Call your doctor when you become pregnant during receiving entecavir. While using entecavir, you should not breastfeed.
- Tell your doctor or dentist that you are getting Entecavir Tablet 1 mg if you are having dental surgery.

Benefits of Entecavir

- Entecavir 1mg Tablet works by inhibiting the HBV virus from growing in the body in people with severe hepatitis B virus (HBV) infection.
- It aids in the control of infection and improves the immune system's performance. This reduces the risk of problems and increases the overall quality of life.

- This medication is always given with other antiretroviral medications. It is not a cure for HBV infection and should not be used to eliminate it.
- It is essential that you use this medication exactly as directed by your doctor, including the dosage. The efficacy of the medicine is substantially enhanced when all doses are taken in the correct amounts and at the correct times.

Side Effects of Entecavir Tablet

The majority of side effects are minor and will go away as your body adapts to the medication. If they don't go away or you're concerned about them, see your doctor.

- It's possible that you'll get headaches, fatigue, dizziness, or nausea. Tell your doctor immediately if any of these side effects persist or worsen.
- Remember that your doctor provided Entecavir Tablet 1 mg because he or she believes the advantage to you exceeds the risk of adverse effects. The majority of people who take this medicine do not have any substantial adverse effects.
- This medicine rarely causes a severe allergic reaction. However, if you detect any symptoms of a major allergic response, such as a rash, itching/swelling (particularly of the face/tongue/throat), extreme dizziness, or problems breathing, seek medical treatment immediately.

Some Tips for Using Entecavir

- Entecavir Tablet 1 mg has been given to treat severe hepatitis B virus (HBV) disease.
- It should be taken on an empty stomach, at least two hours after or before eating.
- Entecavir can make you feel dizzy or sleepy. Should not drive or do anything that requires attention until you have a better understanding of how it affects you.
- While getting this medicine, you may still acquire infections or other symptoms related to viral infection.
- Regular blood tests are required during therapy and for at least 6 months after finishing this medicine to evaluate your liver function, hepatitis B virus level, and blood platelets in your blood.

Entecavir Tablet 1 mg Supplier

Healthiza is one of the leading Entecavir Tablet 1 mg supplier and manufacturer, offering the best quality medicine globally through a validated cold chain secure shipment process. We use this process to manufacture, store and deliver medicines at a very specific temperature. Customers can avail of this premium quality pharma product at an affordable price from us.



GET IN TOUCH HEALTHIZA LIFESCIENCE PVT LTD

EMAIL : info@healthizalife.com | sales@healthizalife.com

PHONE : +91- 93289 40307

ADDRESS : A-907, Signature II, Sarkhej 382210 Ahmedabad, India.

WEBSITE : www.healthizalife.com