## **Dasatinib Tablet**

## **Product Information:**

Pharmaceutical form: Tablet

Category : Anti Cancer

Pack: -

Brand name : - Content : -

Therapeutic Use: -



# **Product Description:**

### What is Dasatinib Tablet?

Dasatinib tablet is used to treat blood cancer (chronic myeloid leukemia-CML, acute lymphoblastic leukemia-ALL). It is used in people whose condition has not responded to existing leukaemia medicines or who are unable to use these medications due to side effects. It works by stopping or preventing cancer cell proliferation.

#### How To Use Dasatinib

- Take prescription medications by mouth once a day, with or without food, as instructed by your doctor. Completely swallow the tablets. The Dasatinib Tablet should not be crushed, chewed, or broken.
- Antacids (aluminium/magnesium hydroxide, calcium carbonate) should not be taken within 2 hours of taking this prescription because they will restrict your body from fully absorbing the medication.
- If your doctor prescribes it, don't eat grapefruit or drink grapefruit juice while taking this medication.

Women who are pregnant or may become pregnant should not contact this medication or breathe the dust from the pills since it can be ingested by the lungs and harm an unborn baby.

#### **How It Works**

Dasatinib tablet is a cancer-fighting medicine. It works by preventing the aberrant protein from causing cancer cells to multiply. This aids in the prevention or slowing of cancer cell spread.

#### **Side Effects of Dasatinib Tablet**

- Diarrhoea, nausea/vomiting, joint discomfort, stomach/abdominal pain, and headache are some of the symptoms that can occur.
- If you have any serious side effects, such as a dry cough, pain in your hands-feet, sudden weight gain, or shortness of breath, contact your doctor immediately.
- If you have any very significant side effects, such as vomit that looks like coffee grounds, black-bloody stools, extreme dizziness, fainting, irregular heartbeat, chest discomfort, confusion, or bodily weakness, seek medical attention immediately.
- Due to the rapid killing of cancer cells, dasatinib tablet might induce negative effects.
  Your doctor may prescribe medicine and advise you to drink a lot of water to reduce your risk.
- This medicine rarely causes a severe allergic reaction. However, if you detect any symptoms of a major allergic response, such as a rash, swelling, extreme dizziness, or problems breathing, seek medical treatment right away.

#### **Precautions For Dasatinib**

- If you are allergic to dasatinib or have any other allergies, consult your doctor before taking it.
- Tell your doctor about your medical history, especially if you have bleeding issues, a current or recent infection, heart problems, or liver problems before using this drug.
- Dasatinib tablet may increase your risk of infection or exacerbate any existing infections.

Avoid coming into contact with somebody who has an infection that could transmit to others (such as chickenpox, measles, flu).

- Before getting any immunizations or vaccinations, tell your doctor that you're taking a dasatinib tablet.
- Use caution while using sharp objects like razors and nail cutters, and avoid contact sports to reduce the risk of being cut, bruised, or wounded.

#### Some Tips For Using Dasatinib

- Start taking it with or without food, and at the same time every day if possible.
- Diarrhoea is a possible side effect. Drink plenty of water and contact your doctor if the diarrhoea persists or if you notice blood in your stools.
- Prevent pregnancy while taking Dasatinib Tablet and for a month after you end using it by using a reliable contraceptive technique.
- While using this drug, keep a close eye on your blood pressure. If you experience problems of very high blood pressure, such as severe headaches, confusion, vision problems, nausea, or vomiting, contact your doctor.
- It has the potential to cause major bleeding problems. If you experience headaches, stomach pain, or see blood in your urine or stools, contact your doctor.
- If you are pregnant, expecting to become pregnant, or breastfeeding, do not use this medication.

**Dasatinib Tablet Supplier** 



# GET IN TOUCH HEALTHIZA LIFESCIENCE PVT LTD

**EMAIL**: info@healthizalife.com | sales@healthizalife.com

**PHONE:** +91- 93289 40307

ADDRESS: A-907, Signature II, Sarkhej 382210 Ahmedabad, India.

WEBSITE: www.healthizalife.com