

Abacavir Tablet

Product Information :

Pharmaceutical form : Tablet

Category : Anti Cancer

Pack : 1x30/Tabs

Brand name : Abacavir Tablet

Content : Abacavir (300mg)

Therapeutic Use : Treatment of human immunodeficiency virus (HIV-1) infection



Product Description :

What is Abacavir Tablet?

Abacavir Tablet is used with other medications in the treatment of human immunodeficiency virus (HIV) infection. Abacavir belongs to a group of drugs known as nucleoside reverse transcriptase inhibitors (NRTIs). It works by lowering HIV levels in the bloodstream. Although abacavir does not eliminate HIV, it can reduce your risk of acquiring AIDS and HIV-related illnesses such as serious infections or cancer. These drugs, together with safer sex practices and other lifestyle modifications, may reduce the risk of spreading the HIV virus to others.

Abacavir Tablet - How To Use

- Abacavir is available as a tablet and a liquid solution to be taken by mouth. It's taken once or twice a day, both with and without food. Every day, take abacavir tablet at the same time(s). Follow the label instructions carefully, and if there is anything you don't understand, ask your doctor to explain it to you. Abacavir Tablet should be taken exactly as prescribed. Do not use more or less of it, or take it more frequently than your doctor has suggested.

- Abacavir Tablet aids in the management of HIV infection, but it does not eliminate it. Even if you feel fine, keep taking abacavir. Do not discontinue taking abacavir without first consulting your doctor. Your illness may become more difficult to cure if you stop consuming abacavir or skip doses.

Abacavir Tablet - Precautions

Before taking Abacavir Tablet,

- If you are allergic to any drugs or any of the substances in abacavir tablets or solution, notify your doctor.
- Tell your doctor about all of your prescription and nonprescription drugs, vitamins, nutraceuticals, and herbal products. Make careful to include methadone and other [HIV drugs](#) in your conversation. Your doctor will need to adjust your prescription dosages or keep a close eye on you for side effects.
- Tell your doctor if you have or have had depression, diabetes, high blood pressure, high cholesterol, or liver or heart problems.
- Consult your doctor about whether or not you should drink alcohol while receiving this medicine.
- If you are pregnant, planning to become pregnant, or breastfeeding, notify your doctor. Call your doctor when you become pregnant while receiving abacavir tablet. If you have HIV or are on abacavir, you should not breastfeed your baby.
- If you smoke, notify your doctor.
- You should be aware that when taking HIV drugs, your immune system may become stronger and begin to fight other illnesses already present in your body, such as pneumonia, herpes, tuberculosis, hepatitis, or a fungal infection. Tell your doctor if you develop new symptoms after beginning abacavir treatment.

How Abacavir Tablet Works

Abacavir is a type of antiviral drug. It stops viruses from multiplying in human cells. This prevents the virus from multiplying and clears your infection.

Abacavir Tablet - Side Effects

- It's possible that you'll have trouble sleeping or losing your appetite. Inform your doctor right once if any of these side effects persist or worsen.
- Remember that your doctor provided this medication because he or she believes the advantage to you exceeds the risk of adverse effects. The majority of people who take this medicine do not have any substantial adverse effects.
- This medicine has caused severe (possibly fatal) liver issues and lactic acid buildup in the blood on rare occasions. Women and obese persons are more likely to experience these significant side effects. If you have any of the following symptoms, seek medical attention right away: Symptoms of liver disease include persistent nausea/vomiting, stomach/abdominal pain, yellowing of the eyes/skin, and dark urine.
- As your immune system strengthens, it may be able to fight off previous infections, leading disease symptoms to resurface. If your immune system gets overactive, you may have symptoms. This reaction could occur at any time (soon after starting HIV treatment or later). If you have any serious symptoms, such as unexplained weight loss, severe tiredness, muscle aches/weakness that doesn't go away, headaches that don't go away, joint stiffness, numbness/tingling of the hands/feet/arms/legs, vision problems, indications of infection (such as fever, chills, swollen lymph nodes, trouble breathing, cough, non-healing skin sores), indications of an overactive thyroid.
- Contact your doctor if you experience any other side effects not listed above.

Abacavir Tablet - Some Tips For Use

- It is used to treat HIV infections in conjunction with other medications.
- Consume it with food to improve the medicine's absorption into the body.
- Abacavir Tablet can make you feel dizzy or sleepy. Do not drive or do anything else that requires attention until you have a better understanding of how it affects you.
- While taking this medication, you may still acquire infections or other symptoms related with viral infection.
- You can also infect others with HIV or HBV. Don't exchange needles or other personal

objects that could contain blood or bodily fluids.

- Regular blood tests are required during therapy and for at least 6 months after quitting this medicine to evaluate your liver function, hepatitis B virus level, and blood cells in your blood.

Abacavir Tablet Supplier

Healthiza is one of the leading Abacavir Tablet supplier and manufacturer, offering the best quality medicine globally through a validated cold chain secure shipment process. We use this process to manufacture, store and deliver medicines at a very specific temperature. Customers can avail of this premium quality pharma product at an affordable price from us.



GET IN TOUCH HEALTHIZA LIFESCIENCE PVT LTD

EMAIL : info@healthizalife.com | sales@healthizalife.com

PHONE : +91- 93289 40307

ADDRESS : A-907, Signature II, Sarkhej 382210 Ahmedabad, India.

WEBSITE : www.healthizalife.com