

# Clobetasol Propionate & Fusidic Acid Cream

## Product Information :

---

**Pharmaceutical form :** External Preparation

**Category :** OTC

**Pack :** 1x10gm

**Brand name :** Clobetasol Propionate & Fusidic Acid Cream

**Content :** Clobetasol (0.05% w/w) + Fusidic Acid (2% w/w)

**Therapeutic Use :** Treatment of Skin infections



## Product Description :

---

### What is Clobetasol Propionate & Fusidic Acid Cream?

Clobetasol Propionate and Fusidic Acid Cream is a dermatological drug that is used to treat swelling, itching, and redness caused by bacterial skin infections. A bacterial infection is a disease in which harmful and bad bacteria multiply and cause illness in the body. It can infect and multiply in any area of the body extremely quickly.

#### How it Work

- Clobetasol Propionate & Fusidic Acid Cream is a combination of Clobetasol (corticosteroids) and Fusidic acid (antibiotic) that acts by inhibiting the release of chemical messengers in the body that produces redness, itching, and swelling by acting inside skin cells.
- Chemicals are released naturally when the skin responds to allergens. Fusidic acid is an antibiotic that acts by preventing bacteria from producing vital proteins that they need to grow, replicate, and reproduce.
- As a result, it inhibits the growth of germs without outright killing them. The bacteria will

eventually die, or the immune system will destroy them and the infection will be cleared. It is only to be used for external use.

#### How to Use

- Before and after using Clobetasol Propionate & Fusidic Acid Cream, wash your hands.
- Apply a tiny amount of cream to the affected area of the skin in a thin layer as directed by your doctor.
- If you're using this cream on your face, avoid getting it in your eyes because it can irritate them. If it come into contact with your eyes, rinse them thoroughly with water.
- Contact your doctor immediately if you still have an eye problem or notice any vision abnormalities.

#### Precautions - Clobetasol Propionate & Fusidic Acid Cream

- Unless your doctor advises otherwise, do not cover the affected area with bandages.
- Avoid smoking or coming near bare flames since it can causes the cloth (bedding, clothing, and dressings) to catch fire and burn readily, posing a major fire hazard.
- In youngsters and on the face, do not use this cream for further than five days.
- Applying a higher dose of cream or using it for longer than recommended will not provide faster or better results, but can raise the risk of adverse effects and make your skin more allergic.

#### Benefits

- It is a medication that combines Clobetasol with Fusidic acid. This medication is used in the treatment of bacterial skin infections that cause swelling, itching, and redness.
- Clobetasol is a corticosteroid that works inside skin cells to prevent the production of chemical messengers that cause redness, irritation, and swelling in the body.
- Chemicals are released naturally when the skin responds to allergens. Fusidic acid is a gram-positive bacteria-targeting antibiotic with a restricted spectrum of action.

- It prevents the formation of crucial proteins, which are required for bacterial growth, reproduction, and multiplication. As a result, it inhibits the growth of germs without outright killing them.
- The bacteria will eventually die, or the immune system will destroy them and the infection will be cleared.

#### **Side Effects - Clobetasol Propionate and Fusidic Acid Cream**

- It can cause adverse effects like discomfort, itching, irritation, or burning at the application site.
- The majority of side effects do not require medical care and go away with time. If the adverse effects do not go away, please contact your doctor.

#### **Some Tips for Using It**

- When used, it may cause slight burning, stinging, or irritation. If the problem persists, contact your doctor.
- Eat more Apples, cherries, broccoli, spinach, and blueberries as they are high in quercetin (a flavonoid).
- Probiotic-rich foods aid in the development of the immune system's resistance to allergies.
- Foods such as dairy, soy, eggs, and nuts should be avoided if you have allergies.
- Foods high in sugar should be avoided because they can aggravate inflammation.
- Fruits, veggies, whole grains, healthy fats, and seafood should all be part of your diet.
- Keep your hands away from harsh soaps, detergents, and rough textiles.
- If your skin disease has not resolved after 2 weeks of treatment, contact your doctor.
- Clobetasol Propionate and Fusidic Acid Cream should not come into contact with the nose, ears, mouth, or eyes.

#### **Clobetasol Propionate & Fusidic Acid Cream Supplier**

Healthiza is one of the leading Clobetasol Propionate & Fusidic Acid Cream supplier and manufacturer, offering the best quality medicine globally through a validated cold chain

secure shipment process. We use this process to manufacture, store and deliver medicines at a very specific temperature. Customers can avail of this premium quality pharma product at an affordable price from us.



**GET IN TOUCH**  
**HEALTHIZA LIFESCIENCE PVT LTD**

**EMAIL :** [info@healthizalife.com](mailto:info@healthizalife.com) | [sales@healthizalife.com](mailto:sales@healthizalife.com)

**PHONE :** +91- 93289 40307

**ADDRESS :** A-907, Signature II, Sarkhej 382210 Ahmedabad, India.

**WEBSITE :** [www.healthizalife.com](http://www.healthizalife.com)