

# Fusidic Acid and Beclomethasone Cream

## Product Information :

---

**Pharmaceutical form :** External Preparation

**Category :** OTC

**Pack :** 1x15gm

**Brand name :** Fusidic Acid and Beclomethasone Cream

**Content :** Betamethasone (0.1% w/w) + Fusidic Acid (2% w/w)

**Therapeutic Use :** Treatment of Bacterial skin infections & Bacterial eye infections



## Product Description :

---

### What is Fusidic Acid and Beclomethasone Cream?

Fusidic Acid and Beclomethasone Cream is used in the dermatological treatment for bacterial skin infections such as eczema and dermatitis. When harmful bacteria develop in the body and cause disease, this is referred to as bacterial infection. It can infect and multiply in any area of the body extremely quickly. Eczema is a skin ailment that causes irritated, itchy, cracked, and rough patches of skin. Dermatitis is a condition of the skin that causes swollen, reddened skin to become itchy and dry, as well as a rash.

#### How It Works

- Beclomethasone (corticosteroid) and Fusidic acid are the two drugs that makeup Fusidic Acid and Beclomethasone (antibiotic). The corticosteroid class includes Beclomethasone. Anti-inflammatory, immunosuppressive, and anti-proliferative qualities are all properties of corticosteroids.
- Beclomethasone inhibits the formation of prostaglandins (chemical messengers) that cause the affected area to become red, swollen, and itching. Eczema (inflamed and itchy

skin) and psoriasis (inflamed and itchy skin) are efficiently treated with Beclomethasone.

- Fusidic acid, on the other hand, is an antibiotic that stops bacteria from synthesising crucial proteins that they need to carry out their activity. It's used to treat skin diseases like dermatitis, spots, scrapes, and grazes, as well as impetigo (a weeping, crusty, and swollen area of skin) and folliculitis.

#### **How to Use**

- Fusidic Acid and Beclomethasone are provided as a cream, gel, or ointment for use on the skin. Apply a little amount of cream or lotion to the affected regions of the skin with clean, dry hands.
- It can also be applied with a clean cotton swab or gauze swab. Gently massage the medication into the skin until it is no longer visible.
- Unless the therapy is for hands, clean your hands before and after administering this cream to the afflicted areas.
- Rinse with cold water if the drug goes into your eyes, nose, or mouth. Beclomethasone comes in a variety of forms, including lotion, spray, and foam.

#### **Precautions - Fusidic Acid and Beclomethasone Cream**

- It should not come into contact with the nose, mouth, or eyes since it may irritate them.
- If Fusidic Acid and Beclomethasone Cream comes into contact with these locations by accident, thoroughly rinse them with water.
- This medication can quickly catch fire and burn so avoid smoking or going near bare flames.
- If you are diabetic, have high cortisol levels, cataracts or glaucoma, thyroid and pituitary illnesses, heart, kidney, or liver problems, consult a doctor before using it.
- Because this medication might influence insulin secretion, you should check your blood glucose levels carefully.

#### **Benefit of Medication**

- Fusidic Acid and Beclomethasone Cream is a combination of Beclomethasone and fusidic acid that is used for the treatment of bacterial skin infections such as eczema and dermatitis.
- Beclomethasone is a corticosteroid that prevents the synthesis of prostaglandins (chemical messengers) that cause the affected area to become red, swollen, and itching. Eczema (inflamed and itchy skin) and psoriasis are two conditions that produce inflammation and itchiness.

#### Some Tips For Using It

- Fusidic Acid and Beclomethasone Cream is used to treat bacterially infected inflammatory skin disorders like eczema and dermatitis.
- When used, it may cause slight burning, stinging, or irritation. If the problem persists, contact your doctor.
- Keep your hands away from your eyes, nose, and mouth. If you get the lotion in these places by accident, wash it off with water.
- Unless recommended by a doctor, do not wrap the area getting treated with airtight coverings such as bandages, as this may raise the risk of adverse effects.
- If your skin disease has not healed after 2 weeks of treatment, see your doctor.
- Do not use it for more than recommended because repeated or prolonged use can lead the skin to become overly sensitive to the antibiotic and bacteria to become resistant to it.

#### Fusidic Acid and Beclomethasone Cream Supplier

Healthiza is one of the leading Fusidic Acid and Beclomethasone Cream supplier and



## GET IN TOUCH HEALTHIZA LIFESCIENCE PVT LTD

**EMAIL :** [info@healthizalife.com](mailto:info@healthizalife.com) | [sales@healthizalife.com](mailto:sales@healthizalife.com)

**PHONE :** +91- 93289 40307

**ADDRESS :** A-907, Signature II, Sarkhej 382210 Ahmedabad, India.

**WEBSITE :** [www.healthizalife.com](http://www.healthizalife.com)