

Tadalafil Tablet 20 mg

Product Information :

Pharmaceutical form : Tablet


Category : Prescription Medicine

Pack : 1x10

Brand name : Tadalafil

Content : Tadalafil Tablet 20 mg

Therapeutic Use : Benign Prostatic Hyperplasia (BPH)



Product Description :

What is Tadalafil Tablet 20 mg?

Tadalafil tablet 20 mg is used in the treatment of erectile dysfunction (inability to attain or retain an erection), and the signs of benign prostatic hyperplasia (an enlarged prostate) such as difficulty urinating, painful urination, and urinary frequency and urgency in adult men.

How it Works

Tadalafil belongs to the phosphodiesterase (PDE) inhibitor class of drugs. It works by boosting the circulation of blood during sexual stimulation to treat erectile dysfunction. An erection may result from increased blood flow. Tadalafil cures PAH by allowing blood to flow more freely by easing the blood vessels in the lungs. If you're using tadalafil in the treatment of erectile dysfunction, keep in mind that it won't cure it or make you more sexually desirable.

How to Use

- Tadalafil is available as a tablet to be swallowed. It is possible to take both with and

without food.

- Tadalafil Tablet 20 mg can be taken in one of two ways: daily or as needed. Consult your doctor to determine the best dose regimen for you. Tadalafil is sometimes used on an as-needed basis, usually 30 minutes prior to sexual activity and no more than once per 24 hours.
- If you take tadalafil on a routine basis, try to take it at the same time each day.
- Your doctor may recommend taking it less frequently or recommending a lower dose to be used once a day if you have certain health issues or are taking certain drugs.
- Follow your doctor's instructions and the suggestions if you're getting tadalafil to treat PAH or BPH. Tadalafil should be taken once a day. Do not divide the tablets into different doses; use all of the tablets for your regular dose at once each day.
- For erectile dysfunction, your doctor will likely start you on a low dose and gradually increase or decrease it based on your response to the medication.

Precaution - Tadalafil Tablet 20 mg

- If you have allergies to tadalafil, any other medicines, or any of the substances in tadalafil tablets, notify your doctor.
- If you're taking or have recently taken riociguat or nitrates like isosorbide dinitrate, isosorbide mononitrate, or nitroglycerin, tell your doctor.
- Whether you're a woman using tadalafil to cure PAH, let your doctor know if you're pregnant, planning to get pregnant, or breastfeeding. Call your doctor if you become pregnant during taking Tadalafil Tablet 20 mg.
- Tell your doctor if you smoke, if you've ever had an erection that lasted more than 4 hours, or if you've recently had diarrhoea, vomiting, or a lot of sweating, which could have resulted in dehydration; diabetes; high cholesterol; high or low blood pressure; rapid heart rate; a heart attack or heart failure; or leukaemia (white blood cell cancer); or heart, kidney, or liver disease.
- Tell your doctor if you're taking tadalafil before you have surgery.
- Consult your doctor about the safe consumption of alcoholic beverages while taking

tadalafil.

- If you're using tadalafil to treat erectile dysfunction, inform your doctor if you've ever been told by a doctor to prevent sexual activity for medical purposes or if you've ever experienced chest pain while doing so.

Benefits of Tadalafil Tablet

Erectile Dysfunction (ED) Treatment

PDE5 inhibitors are a class of drugs that include Tadalafil tablet. It works by slowing your penis' blood vessels. When sexually aroused, this increases the blood flow into the penis and causes an erection. If you are sexually excited, this drug will simply assist you acquire an erection. It works well, but it must be made at least 30 minutes before sexual activity. Do not use nitrate-containing medications.

Side Effects of Tadalafil

The majorities of side effects are minor and will go away as your body adapts to the medication. If they don't go away or you're worried about them, see your doctor.

- It is possible to get headaches, stomach discomfort, back pain, muscle soreness, stuffy nose, flushing, or dizziness.
- When rising gently from a sitting or laying posture, you can limit the danger of dizziness and lightheadedness.
- Remember that your doctor recommended this medication because he or she believes the advantage to you exceeds the risk of adverse effects. Many persons who use this medicine have no major adverse effects.
- Sexual activity can put your heart under additional strain, especially if you already have cardiac problems. Stop having sex and get medical care immediately if you have heart problems and encounter any of these significant adverse effects.
- If you experience a painful or persistent erection that lasts 4 hours or longer, cease using this drug immediately and seek medical attention, because serious complications may result.

Some Tips for Tadalafil Tablet

- Tadalafil Tablet 20 mg has been recommended for the treatment of erectile dysfunction.
- It's better if you take it hours before sexual activity. It can, however, be taken anywhere between 30 minutes and 4 hours prior sexual activity.
- Take it no more than once per day.
- It can make you dizzy or make your eyesight blurry. Do not drive vehicle or do anything else that requires attention until you have a better understanding of how it impacts you.
- Avoid drinking alcohol because it can make dizziness worse and impair your ability to get an erection.
- If the erection lasts longer than 4 hours following sexual activity, seek medical help.
- If you've taken nitrates (medicines for angina or chest pain), had a heart attack in the last three months, or had a stroke or heart failure in the last six months, don't use Tadalafil Tablet.

Tadalafil Tablet 20 mg Supplier

Healthiza is one of the leading Tadalafil Tablet 20 mg supplier and manufacturer, offering the best quality medicine globally through a validated cold chain secure shipment process. We use this process to manufacture, store and deliver medicines at a very specific temperature. Customers can avail of this premium quality pharma product at an affordable price from us.



GET IN TOUCH HEALTHIZA LIFESCIENCE PVT LTD

EMAIL : info@healthizalife.com | sales@healthizalife.com

PHONE : +91- 93289 40307

ADDRESS : A-907, Signature II, Sarkhej 382210 Ahmedabad, India.

WEBSITE : www.healthizalife.com